Contents to volume 219

Discussion Letter

The mechanism of action of aspartic proteases involves 'push-pull' catalysis (FEB 04884) *L. Polgár* 1

Research Letters

Glucose transport in human erythrocytes measured using ^{13}C NMR spin transfer (FEB 04857) *P.W. Kuchel, B.E. Chapman, J.R. Potts* 5

A simple method for delineating well-defined and variable regions in protein structures determined from interproton distance data (FEB 04819) *M. Nilges, G.M. Clore, A.M. Gronenborn* 11

Sequence-specific assignments of downfield-shifted amide proton resonances of calmodulin: Use of two-dimensional NMR analysis of its tryptic fragments (FEB 04858) *M. Ikura, O. Minowa, M. Yazawa, K. Yagi, K. Hikichi* 17

Ultrasonic studies of proton-transfer reactions at the catalytic site of α-chymotrypsin (FEB 04864) *D. Rogez, R. Cerf, R. Andrianjara, S.-T. Salehi, H. Fouladgar* 22

Unusual solvent isotope effects on the aminoacylase-catalyzed hydrolysis of acetylamino acids (FEB 04863) *J. Henseling, K.-H. Röhm* 27

Immunological evidence for a *Physarum* β-tubulin polypeptide possessing an α-tubulin-like carboxyl terminus (FEB 04860) *K. Gull, M. Wilcox, C.R. Birkett* 31

Evidence of an α_2-macroglobulin-like molecule in plasma of *Salamandra salamandra:* Structural and functional similarity with human α_2-macroglobulin (FEB 04861) *J.-M. Sallenave, R. Bellot* 37

Botulinum C_2 toxin potentiates activation of the neutrophil oxidase: Further evidence of a role for actin polymerization (FEB 04859) *F.A. Al-Mohanna, I. Ohishi, M.B. Hallett* 40

Analysis of NMR spectra of sugar chains of glycolipids by 1D homonuclear Hartmann-Hahn and NOE experiments (FEB 04856) *F. Inagaki, C. Kodama, M. Suzuki, A. Suzuki* 45

Identification of a tyrosine residue in the saccharide binding site of ricin B-chain using *N*-[^{14}C]acetylimidazole (FEB 04865) *E.J. Wawrzynczak, A. Falasca, W.A. Jeffery, G.J. Watson, P.E. Thorpe* 51

Dexamethasone-dependent expression of β^{1-24} corticotropin stimulated adenylate cyclase during adipose conversion of 3T3-F442A cells (FEB 04869) *B. Feve, J. Pairault* 56

Infection of tobacco protoplasts with in vitro transcribed tobacco mosaic virus RNA using an improved electroporation method (FEB 04870) *Y. Watanabe, T. Meshi, Y. Okada* 65

Deletion analysis of the c-Ha-*ras* oncogene promoter (FEB 04872) *W.S. Trimble, N. Hozumi* 70

The processing and secretion of rat serum albumin by oocytes from *Xenopus laevis* (FEB 04873) *R.C. Foreman, J.D. Judah* 75

Brain 14-3-3 protein is an activator protein that activates tryptophan 5-monooxygenase and tyrosine 3-monooxygenase in the presence of Ca^{2+}, calmodulin-dependent protein kinase II (FEB 04877) *T. Ichimura, T. Isobe, T. Okuyama, T. Yamauchi, H. Fujisawa* 79

Calcium involvement in mediating the action of octopamine and hypertrehalosemic peptides on insect haemocytes (FEB 04875) *A.P. Jahagirdar, G. Milton, T. Viswanatha, R.G.H. Downer* 83

The dependence of the rate of transhydrogenase on the value of the protonmotive force in chromatophores from photosynthetic bacteria (FEB 04847) *N.P.J. Cotton, J.F. Myatt, J.B. Jackson* 88

The photobiocatalytic system: inorganic semiconductors coupled to bacterial cells (FEB 04874) *A.A. Krasnovsky, V.V. Nikandrov* 93

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Light- and nucleotide-dependent increase in apparent viscosity in a suspension of retinal disks (FEB 04881) *A. Caretta, P.J. Stein* 97
Kinetics of association and dissociation of colchicine-tubulin complex from brain and renal tubulin: Evidence for the existence of multiple isotypes of tubulin in brain with differential affinity to colchicine (FEB 04880) *A. Banerjee, R.F. Luduena* 103
Photolabelling of a mitochondrially encoded subunit of NADH dehydrogenase with [^{3}H]dihydrorotenone (FEB 04883) *F.G.P. Earley, S.D. Patel, C.I. Ragan, G. Attardi* 108
Clustering in coated vesicles of polyunsaturated phospholipids segregated from plasma and Golgi membranes of adrenocortical cells (FEB 04866) *C. de Paillerets, M. Bomsel, H. Weintraub, D. Pépin, A. Alfsen* 113
Distinct functions of down-regulation-sensitive and -resistant types of protein kinase C in rabbit aortic smooth muscle cells (FEB 04878) *K. Kariya, Y. Takai* 119
Inositol 1,3,4,5-tetrakisphosphate increases the duration of the inositol 1,4,5-trisphosphate-mediated Ca^{2+} transient (FEB 04882) *S.K. Joseph, C.A. Hansen, J.R. Williamson* 125
Pseudo arylsulfatase A deficiency: Biosynthesis of an abnormal arylsulfatase A (FEB 04885) *M. Ameen, P.L. Chang* 130
Thyroid hormones regulate expression of the neural cell adhesion molecule in adult skeletal muscle (FEB 04895) *J. Thompson, S.E. Moore, F.S. Walsh* 135
Catecholamine inhibition of Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans (FEB 04904) *P.M. Jones, J.M. Fyles, S.J. Persaud, S.L. Howell* 139
Increase of urate formation by stimulation of sympathetic hepatic nerves, circulating noradrenaline and glucagon in the perfused rat liver (FEB 04888) *G.P. Püschel, A. Nath, K. Jungermann* 145
Properties of 2′,3′-dideoxy-2′,3′-dehydrothymidine 5′-triphosphate in terminating DNA synthesis catalyzed by several different DNA polymerases (FEB 04886) *N. Dyatkina, S. Minassian, M. Kukhanova, A. Krayevsky, M. von Janta-Lipinsky, Z. Chidgeavadze, R. Beabealashvilli* 151
Characterization of the nucleotide tight-binding sites of the isolated mitochondrial F_1-ATPase (FEB 04887) *Ya.M. Milgrom, M.B. Murataliev* 156
Isolation and amino acid sequence of the 'Rieske' iron sulfur protein of beef heart ubiquinol:cytochrome *c* reductase (FEB 04889) *H. Schägger, U. Borchart, W. Machleidt, T.A. Link, G. Von Jagow* 161
Purification and characterization of a 32-kDa phospholipase A_2 inhibitory protein (lipocortin) from human peripheral blood mononuclear cells (FEB 04900) *B. Rothhut, C. Comera, B. Prieur, M. Errasfa, G. Minassian, F. Russo-Marie* 169
Lipocortin inhibition of extracellular and intracellular phospholipases A_2 is substrate concentration dependent (FEB 04901) *A.J. Aarsman, G. Mynbeek, H. van den Bosch, B. Rothhut, B. Prieur, C. Comera, L. Jordan, F. Russo-Marie* 176
Expression of human pancreatic polypeptide precursors from a dicistronic mRNA in mammalian cells (FEB 04898) *E. Boel, K.L. Berkner, B.A. Nexø, T.W. Schwartz* 181
Studies with the *Escherichia coli* galactose operon regulatory region carrying a point mutation that simultaneously inactivates the two overlapping promoters: Interactions with RNA polymerase and the cyclic AMP receptor protein (FEB 04899) *S. Ponnambalam, A. Spassky, S. Busby* 189
Ribonucleotide reductase in cell extracts of *Methanobacterium thermoautotrophicum* (FEB 04890) *H.P.C. Hogenkamp, H. Follmann, R.K. Thauer* 197
Raman spectroscopic study on the conformation of 11 S form acetylcholinesterase from *Torpedo californica* (FEB 04893) *D. Aslanian, P. Gróf, M. Négrerie, M. Balkanski, P. Taylor* 202
Size, shape and mass of the oxygen-evolving photosystem II complex from the thermophilic cyanobacterium *Synechococcus* sp. (FEB 04892) *M. Rögner, J.P. Dekker, E.J. Boekema, H.T. Witt* 207
One-electron reduction of an anthracycline antibiotic carminomycin by a human erythrocyte redox chain (FEB 04905) *A.V. Peskin, G. Bartosz* 212
Phosphorylation of the EGF receptor from A431 epidermoid carcinoma cells by three distinct types of protein kinase C (FEB 04906) *M. Ido, K. Sekiguchi, U. Kikkawa, Y. Nishizuka* 215

Botulinum neurotoxin inhibits depolarization-stimulated protein phosphorylation in pure cholinergic synaptosomes (FEB 04903) *X. Guitart, G. Egea, C. Solsona, J. Marsal* 219
The subunits of specific odor-binding glycoproteins from rat olfactory epithelium (FEB 04902) *E.E. Fesenko, V.I. Novoselov, M.F. Bystrova* 224
Glucagon-like peptides activate hepatic gluconeogenesis (FEB 04897) *T.P. Mommsen, P.C. Andrews, E.M. Plisetskaya* 227
Fluorescent probe studies on binding of glyceraldehyde-3-phosphate dehydrogenase to phosphatidylinositol liposomes: Further evidence for conformational changes (FEB 04909) *K. Michalak, J. Gutowicz, T. Modrzycka* 233
^{1}H NMR studies of human blood plasma: Assignment of resonances for lipoproteins (FEB 04896) *J.D. Bell, P.J. Sadler, A.F. Macleod, P.R. Turner, A La Ville* 239
Electron paramagnetic resonance and magnetic circular dichroism studies of a hexa-heme nitrite reductase from *Wolinella succinogenes* (FEB 04908) *R.S. Blackmore, T. Brittain, P.M.A. Gadsby, C. Greenwood and A.J. Thomson* 244
Ca^{2+}/calmodulin-dependent protein kinase in *Saccharomyces cerevisiae* (FEB 04907) *J. Londesborough, M. Nuutinen* 249
A TY1 element is inserted in the CYR1 control region of *Saccharomyces cerevisiae* strain AB320 (FEB 04894) *G. Lenzen, P. Masson, J.-M. Jacquemin, A. Danchin* 254
Molecular cloning of a new human G protein: Evidence for two $G_{i\alpha}$-like protein families (FEB 04876) *J.R. Didsbury, R. Snyderman* 259

Notes to Authors 265

Hypothesis

A putative internal promoter in the 16 S/23 S intergenic spacer of the rRNA operon of archaebacteria and eubacteria (FEB 04924) *A.S. Mankin, E.A. Skripkin, V.K. Kagramanova* 269

Research Letters

The stalk connecting the F_1 and F_0 domains of ATP synthase visualized by electron microscopy of unstained specimens (FEB 04911) *E.P. Gogol, U. Lücken, R.A. Capaldi* 274
Role of Mg^{2+} in the ribozyme system (FEB 04910) *H. Toh, A. Imamura, K. Kanda* 279
The synergistic effect of serotonin and epinephrine on the human platelet at the level of signal transduction (FEB 04912) *D. de Chaffoy de Courcelles, P. Roevens, H.Van Belle, F.De Clerck* 283
Identification and purification of a novel G protein from neutrophils (FEB 04914) *B.F. Dickey, H.Y. Pyun, K.C. Williamson, J. Navarro* 289
Detection of Ca^{2+}-dependent cyclic GMP binding protein in frog rod outer segments (FEB 04919) *T. Shinozawa, S. Terada, H. Matsusaka, S. Yamashita* 293
Ethanol alters the adenosine receptor-N_i-mediated adenylate cyclase inhibitory response in rat brain cortex in vitro (FEB 04925) *F. Bauché, A.M. Bourdeaux-Jaubert, Y. Giudicelli, R. Nordmann* 296
Benzodiazepine agonists protect a histidine residue from modification by diethyl pyrocarbonate whereas propyl β-carboline does not (FEB 04929) *B. Lambolez, J. Rossier* 301
Salt dependent dimerisation of caldesmon (FEB 04933) *R.A. Cross, K.E. Cross, J.V. Small* 306
The glucose sensor in HIT cells is the glucose transporter (FEB 04944) *S.J.H. Ashcroft, M. Stubbs* 311
Maintenance of membrane phospholipid asymmetry: Lipid-cytoskeletal interactions or lipid pump? (FEB 04918) *P. Williamson, R. Antia, R.A. Schlegel* 316
Fragmentation of chloroplast coupling factor in dependence of bound nucleotides: Preparation of a reconstitutionally active form of subunit δ (FEB 04921) *S. Engelbrecht, W. Junge* 321
α-Melanocyte-stimulating hormone secretion from permeabilized intermediate lobe cells of rat pituitary gland: The role of guanine nucleotides (FEB 04926) *T. Yamamoto, Y. Furuki, J.W. Kebabian, M. Spatz* 326

Activity of human, bovine and porcine platelet-derived growth factor in a radioreceptor assay with human placental membrane protein (FEB 04930) *J.A. Czyrski, W. Gawlikowski* 331
The influence of copper on the induction of tyrosinase and laccase in *Neurospora crassa* (FEB 04928) *M. Huber, K. Lerch* 335
Nucleotide sequence of the α-amylase gene (ALP1) in the yeast *Saccharomycopsis fibuligera* (FEB 04935) *T. Itoh, I. Yamashita, S. Fukui* 339
A point mutation in the chloroplast 16 S rRNA gene of a streptomycin resistant *Nicotiana tabacum* (FEB 04923) *T. Etzold, C.C. Fritz, J. Schell, P.H. Schreier* 343
Na^+-induced uptake of pyruvate into mesophyll chloroplasts of a C_4 plant, *Panicum miliaceum* (FEB 04920) *J.-I. Ohnishi, R. Kanai* 347
Release of repetitive transient potentials and opening of potassium channels by barium in *Eremosphaera viridis* (FEB 04922) *M. Thaler, W. Steigner, K. Köhler, W. Simonis, W. Urbach* 351
Ciguatoxin and brevetoxins share a common receptor site on the neuronal voltage-dependent Na^+ channel (FEB 04931) *A. Lombet, J.-N. Bidard, M. Lazdunski* 355
Production of the constant domain of murine T-cell receptor β-chain in *Escherichia coli* (FEB 04936) *Y. Kuwana, S. Itoh, F. Nagase, I. Nakashima, Y. Kurosawa* 360
Identification of the plasma membrane receptor for interleukin-1 on mouse thymoma cells (FEB 04962) *C. Bron, H.R. MacDonald* 365
Binding of synthetic β-human atrial natriuretic peptide to cultured rat vascular smooth muscle cells (FEB 04917) *Y. Hirata, H. Yoshimi, S. Takata, H. Matsubara, Y. Takagi, T. Iida, N. Chino, T.X. Watanabe, T. Kimura, S. Sakakibara* 369
Participation of adenosine 5'-triphosphate in the activation of membrane-bound guanylate cyclase by the atrial natriuretic factor (FEB 04938) *H. Kurose, T. Inagami, M. Ui* 375
Oxidation of *N*-alkyl and *C*-alkylputrescines by diamine oxidases (FEB 04937) *R.B. Frydman, O. Ruiz, M. Kreisel, U. Bachrach* 380
Evidence for two H_2O_2-binding sites in ferric cytochrome *c* oxidase: Indication to the O-cycle? (FEB 04934) *T. Vygodina, A.A. Konstantinov* 387
Last step in the cooperative pathway for galactolipid synthesis in spinach leaves: formation of monogalactosyldiacylglycerol with C18 polyunsaturated acyl groups at both carbon atoms of the glycerol (FEB 04942) *A. Oursel, A. Escoffier, J.C. Kader, J.P. Dubacq, A. Trémolières* 393
The transcription of B2 repeated sequences is regulated during the transition from quiescent to proliferative state in cultured rodent cells (FEB 04941) *L. Lania, A. Pannuti, G.La Mantia, C. Basilico* 400
Characterization of a cDNA coding for sex steroid-binding protein of human plasma (FEB 04949) *B.G. Que, P.H. Petra* 405
Identification of the proteins in direct contact with duck globin mRNA (FEB 04946) *R.E. Lockard* 410
Microanalysis of the amino acid sequence of the eclosion hormone from the tobacco hornworm *Manduca sexta* (FEB 04891) *T. Marti, K. Takio, K.A. Walsh, G. Terzi, J.W. Truman* 415
Prothoracicotropic hormone has an insulin-like tertiary structure (FEB 04963) *H. Jhoti, A.N. McLeod, T.L. Blundell, H. Ishizaki, H. Nagasawa, A. Suzuki* 419
^1H NMR characterization of two crambin species (FEB 04964) *J.A.W.H. Vermeulen, R.M.J.N. Lamerichs, L.J. Berliner, A.De Marco, M. Llinás, R. Boelens, J. Alleman, R. Kaptein* 426
Physiological variant of antithrombin-III lacks carbohydrate sidechain at Asn 135 (FEB 04959) *S.O. Brennan, P.M. George, R.E. Jordan* 431
Ile-Ser-bradykinin (T-kinin) and Met-Ile-Ser-bradykinin (Met-T-kinin) are released from T-kininogen by an acid proteinase of granulomatous tissues in rats (FEB 04947) *W. Sakamoto, F. Satoh, K. Gotoh, S. Uehara* 437
Action of rat liver cathepsin B on bradykinin and on the oxidized insulin A-chain (FEB 04961) *D. Brömme, A. Steinert, S. Fittkau, H. Kirschke* 441
Neomycin inhibits K^+- and veratridine-stimulated noradrenaline release in rat brain slices and rat brain synaptosomes (FEB 04958) *S. Diamant, B. Avraham, D. Atlas* 445
Scorpion venom inhibits carbamylcholine-induced ^{86}rubidium efflux from rat parotid acini (FEB 04960) *J.-P. Dehaye, J. Winand, J. Christophe* 451

Control of proteolysis in perifused rat hepatocytes (FEB 04957) *X.M. Leverve, L.H.P. Caro, P.J.A.M. Plomp, A.J. Meijer* 455
Neuronal nicotinic acetylcholine receptor β-subunit is coded for by the cDNA clone α_4 (FEB 04953) *P. Whiting, F. Esch, S. Shimasaki, J. Lindstrom* 459
Sequence-dependence of the conformational changes induced by the 5-methyl cytosine in synthetic RNA oligomers (FEB 04951) *G. Bloch, J.M. Neumann, F. Babin, T. Huynh-Dinh* 464
Myosin light chain phosphorylation in intact human muscle (FEB 04950) *M.E. Houston, M.D. Lingley, D.S. Stuart, R.W. Grange* 469
Spectroscopic studies of brunescent cataractous lenses (FEB 04913) *A. Tomoda, Y. Yoneyama, T. Yamaguchi, K. Kakinuma, K. Kawasaki, D. Yonemura* 472
Kinetic measurements of electron transfer in coupled chromatophores from photosynthetic bacteria: A method of correction for the electrochromic effects (FEB 04927) *G. Venturoli, M. Virgili, B.A. Melandri, A.R. Crofts* 477

Book Reviews and Booklist no. 75 485

Author Index 498

Table of Contents 504

Notes to Authors 509

Announcement 511